



美絲華金屬網有限公司

MASEWA METAL NET CO., LTD.

地址：中國河北安平縣南環路

Add: Nanhuan Road Anping Hebei China

電話 (Tel): 0086-318-7565108 7515785

傳真 (Fax): 0086-318-7565600

<http://www.masewa.com>

E-mail: sales@masewa-wiremesh.com



建築金屬裝飾網•金屬軟裝網•專業研發制造商
Manufacturer & Developer of Architectural Mesh

公司简介 Company Profile

美丝华金属网有限公司

MASEWA METAL NET CO.,LTD.



美絲華金屬網有限公司是一家專業研發、製造金屬裝飾網的企業。多年來，美絲華在生產技術創新、產品質量領先、成本優勢競爭上苦下功夫，走在了裝飾網發展的最前列。

目前，美絲華生產3大系列200多款裝飾網，各項產品均通過SGS檢驗，全部符合RoHS、甲醛、抗拉力、防腐等標準，大大超出同行業質量水平。

隨着建築裝飾領域的不斷多元化發展，金屬裝飾網這一建築材料的新生兒，在業界引起了廣泛關注。美絲華金屬網有限公司依靠成熟、創新、經濟、獨特的設計、生產、銷售與服務體系，以先進的設備為技術依托，新產品源源不斷，先後榮獲了43項國家專利。並成功運用於美洲、歐洲、亞洲、非洲等幾十個國家的大型標志性建築裝飾工程中，為企業贏得了良好的聲譽，博得了廣大客戶的信賴。

“創新設計，扮美生活”是美絲華的持續追求，專業與誠信是美絲華的本色。

美絲華期待與您攜手同行，共創輝煌！

MASEWA METAL NET
美 絲 華

Masewa Metal Net Co., Ltd is a professional architecture wire mesh manufacturer in China, which do R&D, produce as well as sell mesh.

Masewa has taken the lead in the forefront of decorative wire mesh through hard efforts on technological innovation, product quality, the great cost competitive advantage for year.

Masewa has three main series of decorative wire mesh, including more than 200 items. All our products have passed the test of SGS, as well as environment protection approval (RoHS). In this foundation, Masewa will keep working and strive to obtain a more remarkable result.

With the architectural decoration field of diversified development, decorative wire mesh has aroused widespread concern. Masewa has won 43 national patents depending on its unique design, production, sales and service systems. With advanced equipment for technical support, new products come into being constantly and continuously, and were sold to many countries of America, Europe, Asia, Africa, earning the reputation for the company and get the trust of clients.

"Create in design, dress in life" is continued pursuit of Masewa, professionalism and sincere are qualities of Masewa.

Masewa is looking forward to working with you!


MASEWA
METAL NET



■ 企業資質 Enterprise Qualification



有些荣誉无法超越，有些追求永无止境……
Some honour which you could not exceed, but you could go for infinity...



建築金屬裝飾網 Architectural Mesh

金屬杆材，繩材，板材，任意混搭編織，表面經過特殊處理與修飾。

沒有富麗堂皇的繁雜，卻擁有簡約，幹淨的外表，給人以最純潔的視覺享受。

沒有絢麗多姿的色彩，卻擁有金屬特有的質感，大面積使用出色的表現了大氣磅礴的氣勢。

剛中帶柔的網格形態，配以不同的光線，顯現不同的光影效果。如一汪純潔的秋水，在微風的吹拂中，蕩漾着美麗的波紋，散發着誘人的氣質。

美絲華建築金屬裝飾網，給現代生活帶來了無可厚非的裝飾，實用效果，不僅僅極大程度的衝擊着全球裝飾市場，更加強烈的刺激着無數設計師的每根大腦神經。

Metal rod, cable, and plate material can be mixed weaving with a special surface treatment and modification.

No magnificent complex, but a simple, clean appearance, gives you the most pure visual enjoyment.

No brilliant colors, but a metal unique texture, while used in large areas it can show you the grand and magnificent momentum.

With a rigid but flexible mesh shape, our product can show different lighting effects with attractive temperament under different lights, just like pure water in fall, rippling beautiful waves in soft wind.

Masewa architectural mesh has brought no ground for blame decorative and practical effects to modern life. It not only greatly impacts the global decoration market, but intensely stimulates the brain nerve of countless designers.



R & C - 系列

金屬棒材方向平整度好，纜繩方向柔韌性好，可做長做大，適合室外幕牆及室內吊頂、隔屏等。

The rod can keep straight very well, and the cable is flexible in perfect. The cable direction can be endless stretch. It will be used for facade of building and suspended ceiling, screen for interior decoration etc.



R - 系列

金屬杆材與杆材或板材編織，雙方向平整度好，適合做室內吊頂、樓梯圍欄、隔屏等。

Both horizontal direction and vertical direction are rigid, and its flatness is very well. It will be used for suspended ceilings, stair and room dividers etc.



MR - 系列

金屬杆材與杆材或板材編織，雙方向平整度好，有強烈的立體感，適合做電梯轎廂及牆面裝飾等。


Metal rod, cable, and plate material can be mixed weaving, its flatness is very well and its stereoscopic effect is perfect. It is widely used for elevator cabin and wall decor etc.



S - 系列

金屬棒材與棒材或板材螺旋編織，雙方向柔韌性好，可做异形幕牆、室內隔斷裝飾等。

It is flexible due to its spiral knitting method. It is widely used for facade of building, interior partition decor etc.



L - 系列

板材拉伸，有強烈的立體感，平整度好，適合做室外幕牆、吊頂、隔屏等。


Expanded Metal Mesh is in good flatness and stereoscopic, it is widely used for facade, suspended ceiling, and screen etc.

R&C - 系列



A - 22 MASEWA

材质(Material): SS
重量(Weight): 2kg/m²
开孔率(Open area): 40%
最大宽度(Max. Width): 4m



I2 - 22 MASEWA

材质(Material): Brass
重量(Weight): 2.3kg/m²
开孔率(Open area): 40%
最大宽度(Max. Width): 4m



A - 37 MASEWA

材质(Material): SS
重量(Weight): 5.16kg/m²
开孔率(Open area): 44%
最大宽度(Max. Width): 8m



A - 29 MASEWA

材质(Material): SS
重量(Weight): 6.4kg/m²
开孔率(Open area): 65%
最大宽度(Max. Width): 8m



A - 26 MASEWA

材质(Material): SS
重量(Weight): 11.3kg/m²
开孔率(Open area): 42%
最大宽度(Max. Width): 8m



A - 52 MASEWA

材质(Material): SS
重量(Weight): 9.13kg/m²
开孔率(Open area): 63%
最大宽度(Max. Width): 8m



A - 49 MASEWA

材质(Material): SS
重量(Weight): 6.72kg/m²
开孔率(Open area): 45%
最大宽度(Max. Width): 8m



A - 21 MASEWA

材质(Material): SS
重量(Weight): 5.2kg/m²
开孔率(Open area): 51%
最大宽度(Max. Width): 8m



A-39-2 MASEWA

材质(Material): SS
重量(Weight): 8kg/m²
开孔率(Open area): 44%
最大宽度(Max. Width): 4.0m



A - 20 MASEWA

材质(Material): SS
重量(Weight): 4.9kg/m²
开孔率(Open area): 33%
最大宽度(Max. Width): 3m

R - 系列



TA-33-5 MASEWA

材质(Material): SS
重量(Weight): 3.4kg/m²
开孔率(Open area): 41%
最大宽度(Max. Width): 3m



TA-47-09 MASEWA

材质(Material): SS
重量(Weight): 5.7kg/m²
开孔率(Open area): 35%
最大宽度(Max. Width): 8m



TA-66 MASEWA

材质(Material): SS
重量(Weight): 7.2 kg/m²
开孔率(Open area): 45%
最大宽度(Max. Width): 3m



TA-21-6 MASEWA

材质(Material): SS
重量(Weight): 7.2 kg/m²
开孔率(Open area): 39%
最大宽度(Max. Width): 3m



TA-32 MASEWA


材质(Material): SS
重量(Weight): 8.5 kg/m²
开孔率(Open area): 32%
最大宽度(Max. Width): 3m



TA-47-3 MASEWA

材质(Material): SS
重量(Weight): 4.1 kg/m²
开孔率(Open area): 33%
最大宽度(Max. Width): 3m

MR - 系列



A-D-06 MASEWA

材质(Material): SS
重量(Weight): 4.3kg/m²
最大宽度(Max. Width): 2m



A-21-2 MASEWA

材质(Material): SS
重量(Weight): 10.7kg/m²
最大宽度(Max. Width): 3m



TAC-43-1 MASEWA

材质(Material): SS & brass
重量(Weight): 13.6kg/m²
最大宽度(Max. Width): 3m



TA-33-8 MASEWA

材质(Material): SS
重量(Weight): 13kg/m²
最大宽度(Max. Width): 3m



TAC-30-1 MASEWA

材质(Material): SS & brass
重量(Weight): 17.9kg/m²
最大宽度(Max. Width): 3m



TAC-21-9-65 MASEWA

材质(Material): SS & Brass
重量(Weight): 13kg/m²
最大宽度(Max. Width): 3m



TA-43-4 MASEWA

材质(Material): SS
重量(Weight): 15kg/m²
最大宽度(Max. Width): 3m



TAC-62 MASEWA

材质(Material): SS & Copper
重量(Weight): 18.7kg/m²
最大宽度(Max. Width): 3m

S - 系列



SE-1-55 MASEWA

材质(Material): C-steel
重量(Weight): 4.9kg/m²
开孔率(Open area): 72%
最大宽度(Max. Width): 4m



SA-85 MASEWA

材质(Material): SS
重量(Weight): 15.6kg/m²
开孔率(Open area): 1%
最大宽度(Max. Width): 4m



SA-4 MASEWA


材质(Material): SS
重量(Weight): 5.9kg/m²
开孔率(Open area): 65%
最大宽度(Max. Width): 4m



SA-19 MASEWA

材质(Material): SS
重量(Weight): 2.5kg/m²
开孔率(Open area): 73%
最大宽度(Max. Width): 2m

L - 系列



LB-1138-2 MASEWA

材质(Material): Aluminum
重量(Weight): 2.7kg/m²
开孔率(Open area): 35%
最大宽度(Max. Width): 2m




LB-0811-2 MASEWA

材质(Material): Aluminum
重量(Weight): 2.2kg/m²
开孔率(Open area): 18%
最大宽度(Max. Width): 2m



LA-1430-15 MASEWA

材质(Material): SS
重量(Weight): 3kg/m²
开孔率(Open area): 60%
最大宽度(Max. Width): 2m



LB-3575-3 MASEWA

材质(Material): Aluminum
重量(Weight): 6.1kg/m²
开孔率(Open area): 38%
最大宽度(Max. Width): 2m

建築金屬裝飾網工程實例 Showcases for Architectural Mesh



簡約 時尚 大氣

**Concise Fashion
Atmosphere**







■ 建築金屬裝飾網工程實例
Showcases for Architectural Mesh



非凡·典雅·别致
Extraordinary Elegant Unique

建築裝飾網配件 Accessories



金屬軟裝網 Flexible Architectural Mesh

金屬材質，擁有多樣化的編織結構，眼花繚亂的色彩。

精湛的表面顏色處理工藝，帶來無法想象的層次感，掩蓋了金屬的冷酷，却掩飾不了骨子裏的高傲。

出色的垂感與不同透光率的網孔完美結合，配以不同角度的燈光，顯現極具層次與內涵的神秘效果，就像朦朧飄渺的夢，讓人心曠神怡，沉浸其中！

美絲華室內軟裝飾網將金屬柔軟的一面表現的淋漓盡致。在各種環境中彰顯着不可一世的華貴，散發着令人陶醉而又極賦現代奢華的氣質，給設計裝飾界以無限的想象空間，讓每位用戶深深的記在腦裏，刻在心裏。


With metal materials ,Masewa fabric has diversity of braided structures and dazzling color.

The consummate technics of color treatment brings unimaginable gradation,while combining with light ,the fabric diffuses and enhances lighting without blocking views or ventilation.

In this way ,it perfectly covers the cold metal ,but shows off the distinguish clearly .

Masewa fabric could be installed in either tensioned, fixed format or on curtain tracks, which allows the designer use flexibility to adjust the space, and adds different lighting in order to change the outlook and feel of a space instantly, also gives a strong expression to the users.

軟裝垂簾組 Coil Drapery




結構 Structure

螺旋結構，自然下垂。
Spiral structures Drape naturally

色卡 Colour

顏色以實物為準

The color take the material object as ,the picture only supply the reference .



常用規格

Common Specification

型號 Code	材質 Material	絲徑 Wire diameter		網孔 Aperture		厚度 Thickness	重量 Weight
E-2	碳鋼 Carbon steel	0.9mm	6.3mm	3/16"		5.8mm	4.0kg/m ²
E-6		1.2mm	8.5mm	1/4"		7.1mm	6.0kg/m ²
E-7		1.0mm	6.8mm	1/4"		6.5mm	5.5kg/m ²
A-01-30	不銹鋼 Stainless steel	1.0mm	8.4mm	1/4"		6.7mm	3.5kg/m ²
A-02-30		1.2mm	6.8mm	3/16"		6.5mm	5.8kg/m ²
A-16-30		1.2mm	8.5mm	1/4"		7.1mm	5.0kg/m ²
B-1	鋁合金 Aluminum alloy	1.2mm	8.5mm	1/4"		7.1mm	2.0kg/m ²
B-2		1.2mm	6.8mm	3/16"		6.5mm	2.5kg/m ²
B-11		1.0mm	5.5mm	3/16"		5.5mm	1.7kg/m ²
B-4		2.0mm	12mm	1/2"		12.0mm	3.0kg/m ²

備注：可根據要求規格、尺寸和顏色定做。

Note :May make to order as per required specification, size and color

軟裝金屬布組 Metallic Cloth

金屬布由金屬片和金屬圈組合而成，既有布料的柔軟度，又有金屬的光澤。體現豪華，彰顯尊貴。

Metallic Cloth is made of metal flakes and rings, it is soft as cloth, but with metal luster too. Display dignity and luxury, show honor and fashion.

特點 Feature

表面處理 Treatment



亮面
Shiny
(L)



磨砂面
Matte
(M)

形狀 Shape



方鑽
(F)



孔鑽
(K)



梅花
(H)



圓珠
(Y)



金字塔
(T)

色卡 Colour

顏色以實物為準

The color take the material objects as, the picture only supply the reference.

鋁材質 Aluminum material



08

10

19

59

69

27

30

55

31

銅材質 Brass material



08

30

09

05

10


常用規格 Common Specification

規格 Size	材質 Material	重量 Weight	型號 Model
3mm	鋁 aluminum	0.91kg/m ²	FL-3, FM-3
	銅 brass	3.2kg/m ²	BL-3
4mm	鋁 aluminum	1.01 kg/m ²	FL-4, FM-4, YL-4, YM-4 KL-4, HL-4, TL-4
	銅 brass	3.5kg/m ²	BL-4
6mm	鋁 aluminum	1.21kg/m ²	FL-6, FM-6, YL-6, YM-6
	銅 brass	4.2kg/m ²	BL-6
8mm	鋁 aluminum	1.51kg/m ²	FL-8, FM-8, YL-8, YM-8
	銅 brass	5.3kg/m ²	BL-8
備注 Note	顏色和尺寸可定制 Color and size can be customized		


軟裝環網組 Metal Ring Mesh

結構 Structure

混合圈 Different Rings



單圈 Single Rings



色卡 Colour

顏色以實物為準

The color take the material objects as, the picture only supply the reference.



槍黑色
Gunmetal Black

05



黃銅色
Brass

08



金色
Golden

10



銀色
Silver

30

常用規格 Common Specification

型號 Code	材質 Material	規格 Size (mm)
IO-22-05	銅 Brass	22
IO-1410-0830		14 + 10
IO-2014-30		20 + 14
IO-35		35
IO-262		26
備注 Note	●大小規格任意搭配 Different size of the ring can be mix selected. ●尺寸定制 Size can be customized	

軟裝珠簾組

Metal Beaded Curtain


特點 Feature

顆粒線條簡單明朗，光澤度高，下垂感好，以其水冷的特點展示出硬而美的雙面性格，瞬間融入空間，營造出現代金屬裝飾的前衛藝術風格。

With simple bead and clear particle line, Masewa bead curtain gets high gloss and good prolapse and shows double features of hard and beauty to the space by the cold material.

It is more advocating individuality and personality than succinctness itself and build the avant-garde art style of modern metal decoration.

常用規格 Common Specification



色卡 Colour

顏色以實物為準

The color take the material objects as, the picture only supply the reference.



軟裝鈎簾組

Chain Link Curtain

特點 Feature

線條分明，色彩豐富，不同角度，不同空間呈現出不同的光澤。

Distinct shape, rich color, Masewa chain link curtain brings differing effects from different angles in different space.

常用規格 Common Specification

型號(Code): GB-01
材質(Material): 鋁(Aluminum)
規格(Specification): 12mm
顏色(Colour):
可定制(Customized)



金屬軟裝網技配支持

Hardware For Architectural Application

軟裝垂簾組 Coil Drapery



- ◎標準倍數: 1.5-2倍
- ◎最小倍數: 1.15倍
- ◎Fullness added recommendation standard 50%-100%
- ◎Track system requires a minimum fullness of 15%



軟裝金屬布組 Metallic Cloth



- ◎標準倍數: 2倍
- ◎最小倍數: 1.5倍
- ◎Fullness added recommendation standard 100%
- ◎Track system requires a minimum fullness of 50%

軟裝珠簾組 Metal Beaded Curtain



- ◎標準間距是所選產品直徑的1-2倍數
- ◎The standard spacing between two strands is usually in range of 0mm-30mm



絲絲通透 ● 光影結合

AMAZING TRANSPARENCY OF WIRE AND WIRE
PERFECT COMBINATION OF LIGHT AND SHADE

■ 金屬網軟裝工程實例

Showcases for Flexible Architectural Mesh



■ 金屬網軟裝工程實例
Showcases for Flexible Architectural Mesh



尊贵奢华 色彩斑斓

*Distinguish and Luxury
Colorful and Variegated*



不銹鋼繩網

Stainless Steel Rope Mesh

不銹鋼繩交叉結構，不同的繩徑網孔，造就不同的裝飾風格。

簡單優雅的外表已不能够表達它做工的複雜，大膽誇張的開孔率，對所裝飾的空間毫無保留的釋放。柔軟的結構設計，可以在裝飾空間中擺出任意造型，無論是配以絢麗的燈光，飛舞的小鳥，鮮艷的花朵，還是熱戀中的情侶，都足以給人一種安靜，悠閑與浪漫的情調。

裝飾與防護的完美結合，賦予了它在當今市場上的頑強生命力，不言而喻的勝任着室內外裝飾與防護的各種角色。

With different diameter of cable and crossover structure, Masewa rope mesh creates different decorative styles.

Simple and elegant appearance can not express its complexity of workmanship.

With a bold exaggerated open area, the decorative space can be released without reservation, its soft design makes it possible to set out any shape in different decorative space. Either with flowery lights, flying birds, bright flowers, or people in love, it is enough to create an emotional appeal of quietness, leisure and romance.

Masewa rope mesh shows a strong vitality in modern market with its perfect combination of decoration and protection, no matter indoor or outdoor.



特點 Feature

繩材質：不銹鋼304, 316

扣材質：不銹鋼，銅，鋁


尺寸：可定制。

Cable: stainless steel

Ferrule: stainless steel, aluminum,
tinned copper

Size: customized



網片結構 Structure



型號 (Products Code)	繩徑 (Cable) mm	孔徑 W × H (Aperture) mm
XAA-1025	1.0	25 × 43
XAA-1030	1.0	30 × 52
XAA-1040	1.0	40 × 69
XAA-1050	1.0	50 × 86
XAA-1060	1.0	60 × 104
XAA-1070	1.0	70 × 121
XAA-1080	1.0	80 × 138
XAA-1525	1.5	25 × 43
XAA-1530	1.5	30 × 52
XAA-1540	1.5	40 × 69
XAA-1550	1.5	50 × 86
XAA-1560	1.5	60 × 104
XAA-1570	1.5	70 × 121
XAA-1580	1.5	80 × 138
XAA-15100	1.5	100 × 173
XAA-15120	1.5	120 × 208
XAA-15140	1.5	140 × 242
XAA-15160	1.5	160 × 277
XAA-15180	1.5	180 × 312
XAA-2040	2.0	40 × 69
XAA-2050	2.0	50 × 86
XAA-2060	2.0	60 × 104
XAA-2070	2.0	70 × 121
XAA-2080	2.0	80 × 138
XAA-20100	2.0	100 × 173
XAA-20120	2.0	120 × 208
XAA-20140	2.0	140 × 242
XAA-20160	2.0	160 × 277
XAA-20180	2.0	180 × 312
XAA-3050	3.0	50 × 86
XAA-3060	3.0	60 × 104
XAA-3070	3.0	70 × 121
XAA-3080	3.0	80 × 138
XAA-30100	3.0	100 × 173
XAA-30120	3.0	120 × 208
XAA-30140	3.0	140 × 242
XAA-30160	3.0	160 × 277
XAA-30180	3.0	180 × 312

不銹鋼繩網 Stainless Steel Rope Mesh

網片方向
Direction



網片邊緣
Ends



技配支持
Accessories



案例 Showcases



■ 精選展會回顧
Exhibition Review

